



MSDS - Feeding Oil

Issued June 25, 2007

Section 1. Product Information

Product Name: Easy Feed Brand Fish Oil

Synonyms: Fish Oil, Herring Oil

CAS No.: No Classification

Chemical Name: Natural Tryglyceride

Distributed By: Pestell Minerals & Ingredients, New Hamburg, ON Canada

24 Hours Emergency Telephone (Canutec): 613-996-6666

Section 2. Hazardous Ingredients

Form: Liquid (non-hazardous)

DOT (Hazmat) Proper Shipping Name: None

Section 3. Physical Characteristics

| | |
|--|-------------------------|
| Boiling Point: | >250°C |
| Vapor Pressure (mm Hg): | unknown |
| Vapor Density: | unknown |
| Water Solubility: | Negligible |
| Physical State: | Liquid |
| pH: | unknown |
| Specific Gravity (H ₂ O=1): | 0.930 |
| Melting Point: | 10 -15°C |
| Evaporation Rate (Butyl Acetate=1): | unknown |
| Appearance: | Oily liquid |
| Color: | Turbid, yellow to amber |
| Odor: | Fishy |

Section 4. Fire or Explosion Hazard

| | |
|------------------------------------|--|
| Flash Point (Method): | >300°F (closed cup) |
| Smoke Point: | >320°F |
| Fire Point: | >650°F |
| Flammable Limits (LEL/UEL): | unknown |
| Extinguishing Media: | Class "B" fire extinguishers, foam. CO ₂ , dry chemical, etc. |
| Special Fire Fighting Procedures: | None |
| Unusual Fire and Explosion Hazard: | None |
| Auto Ignition Temperature: | unknown |
| Auto Decomposition Temperature: | unknown |

Section 5. Reactivity Data

Product is stable
Conditions to Avoid: Avoid introducing pure oxygen
Incompatibility (Materials to Avoid): Pure oxygen
Hazardous Decomposition or By-Products: unknown
Hazardous Polymerization: Will not occur
Conditions to Avoid: N/A

Section 6. Toxicological Properties

Health Hazard Data
Routes of Entry: Inhalation, skin, ingestion
Health Hazards Acute and Chronic: May act as a slight irritant to the skin or lungs or a mild allergen. Prolonged skin contact could result in dermatitis in sensitive individuals.
Carcinogenicity: None known
Signs and Symptoms of Exposure: None known

Section 7. Preventive Measures

Control Measures

Respiratory Protection: Use self contained respiratory equipment in closed systems
Ventilation: Mechanical (general)
Protective Gloves: Necessary if allergic
Eye Protection: Safety goggles
Other Protective Clothing or Equipment: None required

Work/Hygienic Practices: Wash with soap and water

Steps to be Taken in Case Material is Released or Spilled

Spills from fats and oils produce slippery surfaces. Employ normal sanitation procedures to reduce risk. Absorb material on clay, sawdust or other materials.

Waste Disposal Method *

Incineration or landfill

Precautions to be Taken in Handling and Storing

Tanks should be vented. Empty tanks must be vented and purged with air before entry. Observe standard tank entry precautions.

Other Precautions: Exposure to material to air and water may cause deterioration in quality

* The disposal information contained herein cannot be warranted as correct in all cases. Because of particular or exceptional conditions or circumstances, or because of applicable federal, state or local law, other or additional information or measures may be required or desirable. The product user may want to consult the proper state and federal authorities.

Section 8. First Aid Measures

No special hazard. Fish oils can be removed from normal skin by washing with soap and water. Hot oil could result in burns to the contact part. In that event, follow normal first aid procedures for treating burns.

Disclaimer

This information contained herein is accurate to the best of our knowledge. We do not suggest or guarantee that any hazards listed herein are the only ones which exist. Pestell Minerals & Ingredients makes no warranty of any kind, expressed or implied, concerning the safe use of this material in your process or combination with any other substances. Effects can be aggravated by other materials and/or this material may aggravate or add to the effects of other materials. This material may be released from gas, liquid or solid materials made directly or indirectly from it. User has the sole responsibility to determine the suitability of the materials for any use and the manner of use contemplated. User must meet all applicable safety and health standards.