

Material Safety Data Sheet



Ferrous Sulphate Monohydrate Granular

1. Product and company identification

Common name : Ferrous Sulphate Monohydrate Granular
Material uses : Included in animal feeds and as a fertilizer micronutrient.
Supplier/Manufacturer : Pestell Minerals & Ingredients
 141 Hamilton Road
 New Hamburg, Ontario
 Canada, N3A 2H1
 Tel : (519) 662-2877
 Fax : (519) 662-6242
 E-mail: pestellgroup@pestell.com
In case of emergency : CANUTEC (613) 996-6666
MSDS authored by: : Kemika XXI Inc. + 1-450-435-7475

10/15/09

2. Hazards identification

Physical state : Solid. (Free flowing very fine granulate.)
Color : Grayish.
Hazard status : This material is classified hazardous under OSHA regulations in the United States and the WHMIS Controlled Product Regulation in Canada.
Emergency overview : WARNING !
 HARMFUL IF SWALLOWED.
 CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
 CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS:
 LIVER, GASTROINTESTINAL TRACT, RESPIRATORY TRACT, SKIN, EYE, LENS OR CORNEA.
 Do not ingest. Avoid contact with skin and clothing. Avoid breathing dust. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.
Routes of entry : Dermal contact. Eye contact. Inhalation. Ingestion.
Potential acute health effects
Eyes : Irritating to eyes.
Skin : Irritating to skin.
Inhalation : Irritating to respiratory system.
Ingestion : Harmful if swallowed.
Potential chronic health effects : Carcinogenic effects: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.
 Mutagenic effects: Not available.
 Teratogenic effects: Not available.
Medical conditions aggravated by over-exposure : Repeated skin exposure can produce local skin destruction or dermatitis. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged exposure to the substance can produce target organ damage.

See toxicological information (section 11)

3. Composition/information on ingredients

United States

Name	CAS number	%
Ferrous sulphate	7720-78-7	60 - 100

**Canada**

Name	CAS number	%
Ferrous sulphate	7720-78-7	60 - 100

4 . First aid measures

- Eye contact** : Check for and remove any contact lenses. In case of contact with eyes, rinse immediately with plenty of water. Get medical attention.
- Skin contact** : In case of contact, immediately flush skin with plenty of water for at least 20 minutes. Get medical attention.
- Inhalation** : If inhaled, remove to fresh air. If not breathing, give artificial respiration. Get medical attention.
- Ingestion** : Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention.
- Notes to physician** : No specific antidote. Medical staff must contact Poison Control Center.

5 . Fire-fighting measures

- Flammability of the product** : Non-flammable.
- Extinguishing media**
- Suitable** : Use an extinguishing agent suitable for the surrounding fire.
 - Not suitable** : None known.
- Special exposure hazards** : No specific hazard.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6 . Accidental release measures

- Personal precautions** : Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment.
- Environmental precautions** : Avoid dispersal of spilled material, runoff and contact with soil, waterways, drains and sewers.
- Methods for cleaning up** : If emergency personnel are unavailable, vacuum or carefully scoop up spilled material and place in an appropriate container for disposal by incineration. Avoid creating dusty conditions and prevent wind dispersal.

7 . Handling and storage

- Handling** : Do not ingest. Avoid contact with eyes, skin and clothing. Keep container closed. Use only with adequate ventilation. Avoid breathing dust. Wash thoroughly after handling.
- Storage** : Keep container tightly closed. Keep container in a cool, well-ventilated area.

8 . Exposure controls/personal protection**United States**

Product name
Ferrous sulphate

Exposure limits
ACGIH TLV (United States, 1/2005).
TWA: 1 mg/m³ 8 hour(s). Form: All forms.
NIOSH REL (United States, 12/2001).
TWA: 1 mg/m³ 10 hour(s). Form: Soluble
OSHA PEL 1989 (United States, 3/1989).
TWA: 1 mg/m³ 8 hour(s). Form: Soluble

Canada

Product name
Ferrous sulphate

Exposure limits
ACGIH TLV (United States, 1/2005).
TWA: 1 mg/m³ 8 hour(s). Form: All forms.

Engineering measures : Use only with adequate ventilation. If user operations generate dust, fumes, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protection

- Eyes** : Safety glasses.
- Skin** : Lab coat.
- Respiratory** : A respirator is not needed under normal and intended conditions of use.
- Hands** : Natural rubber (latex).



HMIS Code/Personal protective equipment : B

Personal protection in case of a large spill : Safety glasses, goggles or face shield. Impervious gloves. Full suit. Boots. Wear NIOSH-approved self-contained breathing apparatus or equivalent and full protective gear.

Hygiene measures : Wash hands, forearms and face thoroughly after handling compounds and before eating, smoking and using the lavatory and at the end of the day. Follow good industrial hygiene practice.

9 . Physical and chemical properties

- Physical state** : Solid. (Free flowing very fine granulate.)
- Color** : Grayish.
- Relative density** : 3 (Water = 1)
- Solubility** : Insoluble in cold water, hot water.

10 . Stability and reactivity

- Stability and reactivity** : The product is stable.
- Incompatibility with various substances** : Reactive with oxidizing materials.
- Hazardous polymerization** : Will not occur.
- Conditions of reactivity** : Not available.

11 . Toxicological information

Toxicity data

Product/ingredient name	Test	Result	Route	Species
Ferrous sulphate	LD50	319 mg/kg	Oral	Rat
	LD50	680 mg/kg	Oral	Mouse
	LD50	1200 mg/kg	Oral	Guinea pig

Acute Effects

- Eyes** : Irritating to eyes.
- Skin** : Irritating to skin.



- Inhalation** : Irritating to respiratory system.
- Ingestion** : Harmful if swallowed.
- Potential chronic health effects** : Carcinogenic effects: Not classified or listed by IARC, NTP, OSHA, EU and ACGIH.
Mutagenic effects: Not available.
Teratogenic effects: Not available.
- Target organs** : Contains material which causes damage to the following organs: liver, gastrointestinal tract, upper respiratory tract, skin, eye, lens or cornea.

12 . Ecological information

Ecotoxicity data

Product/ingredient name	Species	Period	Result
Ferrous sulphate	Daphnia magna (EC50)	48 hour(s)	7.2 mg/l

- Environmental precautions** : No known significant effects or critical hazards.
- Products of degradation** : These products are sulfur oxides. Some metallic oxides.

13 . Disposal considerations

- Waste disposal** : The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material, runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional and local authority requirements.

14 . Transport information

AERG : 171

Regulatory information	Proper shipping name	Class	UN number	PG	Label
UN / IMDG / IATA Classification	Not regulated.	-	-	-	
DOT Classification	RQ, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Ferrous sulphate)	9	UN3077	III	
TDG Classification	Not regulated.	-	-	-	
Additional information	UN	IMDG	IATA	DOT	TDG
	-	-	-	Remarks Not regulated when shipped in quantities less than 1000lbs/453.6 Kg (RQ).	-

15 . Regulatory information

United States

- HCS Classification** : Toxic material
Irritating material
Target organ effects
- U.S. Federal regulations** : TSCA 6 proposed risk management: Lead
TSCA 8(b) inventory: All components listed.
TSCA 12(b) annual export notification: Lead

SARA 302/304/311/312 extremely hazardous substances: No products were found.
 SARA 302/304 emergency planning and notification: No products were found.
 SARA 302/304/311/312 hazardous chemicals: Ferrous sulphate
 SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Ferrous sulphate: Immediate (acute) health hazard, Delayed (chronic) health hazard
 Clean Water Act (CWA) 307: Lead; Cadmium; Arsenic; Mercury
 Clean Water Act (CWA) 311: Ferrous sulphate
 Clean Air Act (CAA) 112 accidental release prevention: No products were found.
 Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
 Clean Air Act (CAA) 112 regulated toxic substances: No products were found.


State regulations

: Pennsylvania RTK: Ferrous sulphate: (environmental hazard, generic environmental hazard); Lead: (environmental hazard, generic environmental hazard); Cadmium: (special hazard, environmental hazard, generic environmental hazard); Arsenic: (environmental hazard, generic environmental hazard); Mercury: (environmental hazard, generic environmental hazard)
 Massachusetts RTK: Ferrous sulphate; Lead; Cadmium; Arsenic; Mercury
 New Jersey: Ferrous sulphate; Lead; Cadmium; Arsenic; Mercury
WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

Ingredient name	Cancer	Reproductive	No significant risk level	Maximum acceptable dosage level
Lead	Yes.	Yes.	15 µg/day (ingestion)	Yes.
Cadmium	Yes.	Yes.	0.05 µg/day (inhalation)	Yes.
Arsenic	Yes.	No.	0.06 µg/day (inhalation)	No.
Mercury	No.	Yes.	No.	No.

Canada
WHMIS (Canada)

: Class D-1B: Material causing immediate and serious toxic effects (Toxic).
 Class D-2B: Material causing other toxic effects (Toxic).



DSL : All components listed.

This product has been classified in accordance with the hazard criteria of the Canadian CPR and the United States OSHA. This MSDS contains all the information required by the CPR and OSHA, the American National Standard Institute (ANSI) Z400.1.

International lists

: This product, (and its ingredients) is (are) listed on national inventories, or is (are) exempted from being listed, in Australia (AICS), in Europe (EINECS/ELINCS), in Korea (TCCL), in Japan (METI), in the Philippines (RA6969).

16 . Other information

Label requirements (U.S.A.)

: HARMFUL IF SWALLOWED.
 CAUSES RESPIRATORY TRACT, EYE AND SKIN IRRITATION.
 CONTAINS MATERIAL WHICH CAUSES DAMAGE TO THE FOLLOWING ORGANS:
 LIVER, GASTROINTESTINAL TRACT, RESPIRATORY TRACT, SKIN, EYE, LENS OR CORNEA.

Hazardous Material Information System (U.S.A.) :


HMIS RATING

Health	*	2
Fire hazard		0
Physical Hazard		0
Personal protection		B

HAZARD RATINGS

- 4- Extreme
 - 3- Serious
 - 2- Moderate
 - 1- Slight
 - 0- Minimal
- See section 8 for more detailed information on personal protection.

National Fire Protection Association (U.S.A.) :

**References**

- : ANSI Z400.1, MSDS Standard, 2004. - Manufacturer's Material Safety Data Sheet. - 29CFR Part1910.1200 OSHA MSDS Requirements. - 49CFR Table List of Hazardous Materials, UN#, Proper Shipping Names, PG. - Canada Gazette Part II, Vol. 122, No. 2. Registration SOR/88-64, 31 December 1987. Hazardous Products Act "Ingredient Disclosure List" - Canadian Transport of Dangerous Goods, Regulations and Schedules, Clear Language version 2005.

Date of issue

: 11/30/2006

Version

: 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.